

**NOTICE OF PROPRIETARY RIGHTS**  
 This document contains information that is confidential and proprietary to Parker-Hannifin Process Advanced Filtration Division ("Parker"). This document is furnished on the understanding that the document and the information it contains will not be copied or disclosed to others or used for any purpose other than conducting business with Parker, and will be returned and all further use discontinued upon request by Parker. Copyright Parker. Year of copyright is first year indicated on this document. All rights reserved.

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	RELEASED BY
	N/C	PRODUCTION RELEASE	10-9-00	DHH
A	ECO #A41758		10-23-00	DHH
B	ECO #A41763		11-29-00	DHH
C	ECO #A41768		1-04-01	DHH
D	ECO #42351		12-02-02	KJK
E	ECO #42516		2-18-03	SS
F	ECO #42914		9-05-03	SS
G	ECO #43755		8-23-05	AV
H	ECO #44078		2-01-06	AV
J	ECO #44167		4-17-06	SP
K	ECO #44249		8-10-06	AV
L	ECO #44358		1-25-07	AV

CODE "H"	CERTIFICATION GRADE
H	IN-HOUSE

CODE "O"	LABELING DESCRIPTION
G	"A" = LABEL-SP-11 "C" = LABEL-03
P	"A" = LABEL-SP-11 "B" = LABEL-04 "C" = LABEL-03



CODE "U"	PART NUMBER	PORT EXTENSIONS
1	PE-PVC-01A	Ø1 1/2" X 3.0"
2	PE-PVC-01B	Ø1 1/2" X 6.0"
3	PE-PVC-02A	Ø2.0" X 3.0"
4	PE-PVC-02B	Ø2.0" X 6.0"
5	NONE	NONE
6	PE-PVC-03A	2" VIC X 1 1/2" SLIP X 4.0"
7	PE-PVC-03B	2" VIC X 1 1/2" SLIP X 6.0"

CODE "S"	PORT INSTALLATION
G	PORTS GLUED INTO BODY
N	PORTS SHIPPED UNGLUED/NONE

CODE "I"	PART NUMBER	HOUSING SHELL DESCRIPTION
A	HSA-PVC-01A	PVC CAPS, 2.0" PORT
B	HSA-PVC-01B	PVC CAPS, 1.5" PORT
D	HSA-PVC-01D	304S CAPS, 1.5" PORT

CODE "N"	PART NUMBER	TOP CAP ASSEMBLY
2	TCA-PVC-01A	1/2" FNPT (FEMALE) & 3/8" FNPT BUSHING
3	TCA-PVC-01C	1" FNPT (FEMALE) & 3/4" FNPT BUSHING
4	TCA-304S-02	1" FNPT (FEMALE) SS

CODE "G"	BOTTOM CAP P/N	BOTTOM PLUG P/N	VICATULIC CLAMP
1	BCA-PVC-01	BP-PVC-01	W/CLAMPS
2	BCA-304S-01	BP-PVC-03	W/CLAMPS
5	BCA-PVC-01	BP-PVC-01	W/O CLAMPS
6	BCA-304S-01	BP-PVC-03	W/O CLAMPS



LABEL "A"  
**TOP**

**Parker**  
 2340 Eastman Ave., Oxnard CA 93030 USA

HOUSING TYPE XXXXXXXXXXXX SERIAL NUMBER XXXXXXXX  
 PROCESS FLOW 70 GPM - LOW FLOW FLEM / 120 GPM - HIGH FLOW  
 PRESSURE PROFILE INLET - 40 to 60 PSI  
 OUTLET - 15 PSI MINIMUM  
 DELTA - 25 to 35 PSID  
 MAXIMUM TEMPERATURE 120 F  
 PREFILTER PRESSURE CHANGE AT 5 PSI DIFFERENTIAL

**AVOID LOW OR NO FLOW CONDITIONS**

LABEL-04

LABEL "C"

SERIAL #	INSTALLED
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

INCOMPATIBLE SUBSTANCES

- STRONG ACIDS & ALKALIS
- STRONG OXIDIZERS
- KEYSTONE SOLVENTS
- ESTER SOLVENTS

AVOID LOW OR NO FLOW!

1	10	LABEL-03	LABEL	PAPER
1	9	LABEL-04	LABEL	PAPER
1	8	LABEL-SP-11	LABEL	PAPER
1	7	CODE "G"	BOTTOM PLUG	PVC
4	6	ORNG-2-122-E	O-RING	EPR
2	5	CODE "U"	PORT EXTENSIONS	PVC
2	4	GAVCB	8 INCH VICATULIC CLAMP	GALVANIZED
1	3	CODE "G"	BOTTOM CAP ASSEMBLY	ASSEMBLY
1	2	CODE "N"	TOP CAP ASSEMBLY	ASSEMBLY
1	1	CODE "I"	HOUSING SHELL ASSY	PVC
QTY. REQ'D	FIND NO.	PART NO. OR IDENTIFYING NO.	NOMENCLATURE OR DESCRIPTION	MATERIAL

- ⚠ FOR CODE "N" = 2 AND "N" = 3 ONLY, INCLUDE BUSHING IN PACKAGE WITH HOUSING.
  - ⚠ SHIPPED WITHOUT VICATULIC CLAMPS (FIND NO. 4).
  - ⚠ LABEL IS NOT REQUIRED ON GENERIC PRODUCT.
1. VICATULIC CLAMPS ARE NOT INSTALLED ON HOUSING UNLESS HOUSING IS SHIPPED WITH ELEMENT INSTALLED.

MATERIAL	UNLESS OTHERWISE NOTED	DRAWN	K. KNEBEL 9-19-00	
	DIMENSIONS ARE IN INCHES DO NOT SCALE THIS DRAWING	QUALITY		
HEAT TREAT	TOLERANCES	MATERIALS	S. BALDWIN 10-04-00	
	.XX ± .030 ANGLES ± 1' .XXX ± .010 MILLIMETERS ± 0.25	MANUFACTURING	R. C. POZZI 10-05-00	
FINISH	BREAK CORNERS .005 to .015 INTERNAL RADI .005 to .010 DIMENSIONING IN ACCORDANCE WITH ANSI Y14.5M	MFG. ENGINEERING	T. PASIENSKI 10-05-00	
		ENGS. ADMINISTRATION	D. HOPKINS 10-09-00	
		RELEASE DATE	10-09-00	
UNLESS OTHERWISE SPECIFIED		SIZE	DWG NO.	REV
		C	2VUF80-HOUSING	L
		SCALE	NONE	
		WEIGHT		
		SHEET		1 OF 1